

Notified Body
Nr. 0036



Industrie Service

Certificate of conformity of the factory production control

0036 CPR 91418 109
Revision 01

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Flue liner / Connecting flue pipe, type Metaloterm ME models

| | | |
|---------|-----------|-----------------------------|
| model 1 | EN 1856-2 | T200 P1 W V2 L500XX O XXX M |
| model 2 | EN 1856-2 | T200 P1 W V2 L500XX O |
| model 3 | EN 1856-2 | T200 H1 W V2 L500XX O XXX M |
| model 4 | EN 1856-2 | T200 H1 W V2 L500XX O |
| model 5 | EN 1856-2 | T400 N1 W V2 L500XX O XXX M |
| model 6 | EN 1856-2 | T450 N1 D V2 L500XX G |
| model 7 | EN 1856-2 | T450 N1 D V2 L500XX GXXX M |
| model 8 | EN 1856-2 | T600 N1 D V2 L500XX G |
| model 9 | EN 1856-2 | T600 N1 D V2 L500XX GXXX M |

For details of classification see page 2

produced by

Schiedel Metaloterm B.V.
Oude Veerseweg 23, 4332 SH Middelburg
The Netherlands

in the manufacturing plant

Schiedel Metaloterm B.V.
Oude Veerseweg 23
4332 SH Middelburg
The Netherlands

Schiedel Sp. Z o.o.
ul. Hallera 75
98-100 Wiewiórczyn
Poland

Schiedel Chimney Systems Ltd
Crowther Estate
Washington, Tyne & Wear
NE38 0AQ, Great Britain


This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-2:2009

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on 2020-01-25 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2022-07-28



Johannes Steiglechner
 Leiter Zertifizierungsstelle Bauprodukte



| | |
|----------------------------------------------------|-----------------------------|
| Connecting flue pipe / flue liner Metaloterm ME | EN 1856-2 |
| Model 1 connecting flue pipe | |
| DN 80-300 | T200 P1 W V2 L50050 O30 M |
| DN 350-450 | T200 P1 W V2 L50060 O45 M |
| DN 500-600 | T200 P1 W V2 L50060 O60 M |
| DN 700 | T200 P1 W V2 L50060 O120 M |
| DN 800-1000 | T200 P1 W V2 L50080 O120 M |
| Model 2 flue liner | |
| DN 80-300 | T200 P1 W V2 L50050 O |
| DN 350-700 | T200 P1 W V2 L50060 O |
| DN 800-1000 | T200 P1 W V2 L50080 O |
| Model 3 connecting flue pipe | |
| DN 80-300 | T200 H1 W V2 L50050 O30 M |
| DN 350-450 | T200 H1 W V2 L50060 O45 M |
| DN 500-600 | T200 H1 W V2 L50060 O60 M |
| DN 700 | T200 H1 W V2 L50060 O120 M |
| DN 800-1000 | T200 H1 W V2 L50080 O120 M |
| Model 4 flue liner | |
| DN 80-300 | T200 H1 W V2 L50050 O |
| DN 350-700 | T200 H1 W V2 L50060 O |
| DN 800-1000 | T200 H1 W V2 L50080 O |
| Model 5 connecting flue pipe | |
| DN 80-300 | T400 N1 W V2 L50050 O100 M |
| DN 350-450 | T400 N1 W V2 L50060 O150 M |
| DN 500-600 | T400 N1 W V2 L50060 O200 M |
| DN 700 | T400 N1 W V2 L50060 O400M |
| DN 800-1000 | T400 N1 W V2 L50080 O400 M |
| Model 6 flue liner | |
| DN 80-300 | T450 N1 D V2 L50050 G |
| DN 350-700 | T450 N1 D V2 L50060 G |
| DN 800-1000 | T450 N1 D V2 L50080 G |
| Model 7 connecting flue pipe | |
| DN 80-300 | T450 N1 D V2 L50050 G400 M |
| DN 350-450 | T450 N1 D V2 L50060 G600 M |
| DN 500-600 | T450 N1 D V2 L50060 G800 M |
| DN 700 | T450 N1 D V2 L50060 G1600 M |
| DN 800-1000 | T450 N1 D V2 L50080 G1600 M |
| Model 8 flue liner | |
| DN 80-300 | T600 N1 D V2 L50050 G |
| DN 350-700 | T600 N1 D V2 L50060 G |
| DN 800-1000 | T600 N1 D V2 L50080 G |
| Model 9 connecting flue pipe | |
| DN 80-300 | T600 N1 D V2 L50050 G400 M |
| DN 350-450 | T600 N1 D V2 L50060 G600 M |
| DN 500-600 | T600 N1 D V2 L50060 G800 M |
| DN 700 | T600 N1 D V2 L50060 G1600 M |
| DN 800-1000 | T600 N1 D V2 L50080 G1600 M |