

Notified Body
Nr. 0036



Industrie Service

Certificate of conformity of the factory production control

0036 CPR 91418 110
Revision 02

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

System Chimney, type Metaloterm MF models

model 1	EN 1856-1	T200 P1 W V2 L500XX OXXX
model 2	EN 1856-1	T200 H1 W V2 L500XX OXXX
model 3	EN 1856-1	T450 N1 W V2 L500XX OXXX
model 4	EN 1856-1	T450 N1 D V3 L500XX GXXX
model 5	EN 1856-1	T600 N1 D V3 L500XX GXXX
model 6	EN 1856-1	T450 N1 D V3 L500XX GXXX
model 7	EN 1856-1	T400 N1 W V2 L50050 G 00
model 8	EN 1856-1	T600 N1 W V2 L50050 G 00

For details of classification see page 2

produced by

Schiedel Metaloterm B.V.
Oude Veerseweg 23, 4332 SH Middelburg
The Netherlands

in the manufacturing plant

Schiedel Metaloterm B.V.
Oude Veerseweg 23
4332 SH Middelburg / The Netherlands

Ontop Polska Sp. Z o.o.
ul. Hallera 75
98-100 Wiewiórczyn / Poland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on 2020-01-25 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Munich, 2021-07-01

Johannes Steiglechner
Leiter Zertifizierungsstelle Bauprodukte



System Chimney Metaloterm MF	EN 1856-1
Model 1*	
DN 100-250	T200 P1 W V2 L50040 O10*
DN 300	T200 P1 W V2 L50050 O10 *
DN 350-400	T200 P1 W V2 L50050 O15*
DN 450	T200 P1 W V2 L50060 O15*
DN 500-600	T200 P1 W V2 L50060 O20*
DN 700	T200 P1 W V2 L50060 O40*
DN 800-1000	T200 P1 W V2 L50080 O40*
Model 2*	
DN 100-250	T200 H1 W V2 L50040 O10*
DN 300	T200 H1 W V2 L50050 O10*
DN 350-400	T200 H1 W V2 L50050 O15*
DN 450	T200 H1 W V2 L50060 O15*
DN 500-600	T200 H1 W V2 L50060 O20*
DN 700	T200 H1 W V2 L50060 O40*
DN 800-1000	T200 H1 W V2 L50080 O40*
Model 3*	
DN 100-250	T450 N1 W V2 L50040 O40*
DN 300	T450 N1 W V2 L50050 O40*
DN 350-400	T450 N1 W V2 L50050 O60*
DN 450	T450 N1 W V2 L50060 O60*
DN 500-600	T450 N1 W V2 L50060 O80*
DN 700	T450 N1 W V2 L50060 O160*
DN 800-1000	T450 N1 W V2 L50080 O160*
Model 4*	
DN 100-250	T450 N1 D V3 L50040 G50*
DN 300	T450 N1 D V3 L50050 G50*
DN 350-400	T450 N1 D V3 L50050 G75*
DN 450	T450 N1 D V3 L50060 G75*
DN 500-600	T450 N1 D V3 L50060 G100*
DN 700	T450 N1 D V3 L50060 G200*
DN 800-1000	T450 N1 D V3 L50080 G200*
Model 5*	
DN 100-250	T600 N1 D V3 L50040 G70*
DN 300	T600 N1 D V3 L50050 G70*
DN 350-400	T600 N1 D V3 L50050 G105*
DN 450	T600 N1 D V3 L50060 G105*
DN 500-600	T600 N1 D V3 L50060 G140*
DN 700	T600 N1 D V3 L50060 G280*
DN 800-1000	T600 N1 D V3 L50080 G280*
Model 6**	
DN 100-250	T450 N1 D V3 L50040 G60**
DN 300	T450 N1 D V3 L50050 G60**
DN 350-400	T450 N1 D V3 L50050 G90**
DN 450	T450 N1 D V3 L50060 G90**
DN 500-600	T450 N1 D V3 L50060 G120**
DN 700	T450 N1 D V3 L50060 G240**
DN 800-1000	T450 N1 D V3 L50080 G240**
Model 7	
DN 80-200	T400 N1 W V2 L50050 G00***
Model 8	
DN 80-200	T600 N1 W V2 L50050 G00***

* free ventilated

** installation in combustibile shaft with ventilated fire stops

*** additional non combustibile outer wall with fire resistance