

Notifizierte Stelle
Nr. 0036



Certificate of conformity of the factory production control

0036 CPR 91236 027
Revision 04

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

System Chimney, type ICS-5000 models

Model 1, 25 mm insulation	EN 1856-1	T600 H1 D V3 L50050 OXXX
Model 2, 25 mm insulation	EN 1856-1	T600 H1 D V2 L99050 OXXX
Model 3, 25 mm insulation	EN 1856-1	T600 H1 D Vm L20050 OXXX
Model 4, 25 mm insulation	EN 1856-1	T200 H1 W V2 L50050 O50
Model 5, 50 mm insulation	EN 1856-1	T600 H1 D V3 L50050 OXXX
Model 6, 50 mm insulation	EN 1856-1	T600 H1 D V2 L99050 OXXX
Model 7, 50 mm insulation	EN 1856-1	T600 H1 D Vm L20050 OXXX

for details of classification see page 2

produced by

Schiedel s.r.o.
Horoušanská 286
25081 Nehvizdy (CZECH REPUBLIC)

in the manufacturing plants

Schiedel s.r.o.
Modlanská 1
41502 Teplice
Czech Republic

Schiedel Sp. Z o.o.
Okup Wielki,
Ul. Inwestycyjna 13
98-100 Łask / Poland

Schiedel B.V
Oude Veerseweg 23
4332 SH Middelburg
The Netherlands

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-1:2009

under system 2+ are applied and that the factory production control fulfils all the prescribed requirements set out above.

The determination of the product type on the basis of type testing is documented in: TÜV SÜD Industrie Service GmbH, A 1730-00/08, A 1730-01/08, A 1730-03/11, A 1730-04/12, A 1469-00/05 and A 1730-05/18.

This certificate was first issued on 2013-02-27 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.



München, 2024-10-28

Johannes Steiglechner

Johannes Steiglechner
Leiter Zertifizierungsstelle Bauprodukte



System chimney ICS 5000	EN 1856-1
Model 1 DN 80 – DN 300 DN 350 – DN 450 DN 500 – DN 600	T600 H1 D V3 L50050 O75 T600 H1 D V3 L50050 O112,5 T600 H1 D V3 L50050 O150
Model 2 DN 80 – DN 300 DN 350 – DN 450 DN 500 – DN 600	T600 H1 D V2 L99050 O75 T600 H1 D V2 L99050 O112,5 T600 H1 D V2 L99050 O150
Model 3 DN 80 – DN 300 DN 350 – DN 450 DN 500 – DN 600	T600 H1 D Vm L20050 O75 T600 H1 D Vm L20050 O112,5 T600 H1 D Vm L20050 O150
Model 4 DN 80 – DN 200	T200 H1 W V2 L50050 O50
Model 5 DN 80 – DN 300 DN 350 – DN 450 DN 500 – DN 600	T600 H1 D V3 L50050 O25 T600 H1 D V3 L50050 O37,5 T600 H1 D V3 L50050 O50
Model 6 DN 80 – DN 300 DN 350 – DN 450 DN 500 – DN 600	T600 H1 D V2 L99050 O25 T600 H1 D V2 L99050 O37,5 T600 H1 D V2 L99050 O50
Model 7 DN 80 – DN 300 DN 350 – DN 450 DN 500 – DN 600	T600 H1 D Vm L20050 O25 T600 H1 D Vm L20050 O37,5 T600 H1 D Vm L20050 O50
Models 1-4 with 25 mm insulation Models 5-7 with 50 mm insulation	